

Date: Thursday, 3/22/2007 7:47:37 AM
 User: Kim Johnston

31917

Process Sheet

Customer : CU-DAR001 Dart Helicopters Services
 Job Number : 31437
 Estimate Number : 12727
 P.O. Number : N/A
 This Issue : 3/22/2007 S.O. No. : N/A
 Prsht Rev. : NC
 First Issue : N/A Type : LANDING GEAR
 Previous Run : 31436
 Written By :
 Checked & Approved By : 07.03.22
 Comment : Est Rev. New Issue 07-02-14 JLM

Drawing Name : X-TUBE 412

Part Number : D412664245
 Drawing Number : D412-664-245 U/R
 Project Number : N/A
 Drawing Revision : U/R
 Material :
 Due Date : 3/29/2007

Qty: 1 Um: Each

Additional Product

Job Number:



Seq. # Machine Or Operation: Description :

1.0 D6009129 Crosstube Material



Comment: Qty.: 1.0000 Each(s)/Unit Total: 1.0000 Each(s)

Pick:

Qty Part number Description Batch

1 D6009-129 Crosstube 26548

Check OD = 3.500"; ID = 2.250"

MS 07/03/23 1

2.0 DC DOCUMENT CONTROL



Comment: DOCUMENT CONTROL

Photocopy bluefile & type labels per PPPD412-664-205 CHG001

3.0 MORI SEIKI MORI SEIKI CNC LATHE LARGE



Comment: MORI SEIKI CNC LATHE LARGE

Turn as per Dwg D412-664-245

S.F. 07/03/26

4.0 QC2 INSPECT PARTS AS THEY COME OFF MACHINE



Comment: INSPECT PARTS AS THEY COME OFF MACHINE

S.B. 27/03/26

5.0 QC8 SECOND CHECK



Comment: SECOND CHECK

Er 07/04/04

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Thursday, 3/22/2007 7:47:37 AM

User: Kim Johnston

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: X-TUBE 412

Job Number: 31437

Part Number: D412664245

Job Number:



Seq. #

Machine Or Operation:

Description :

6.0

LANDING GEAR 1

LANDING GEAR RESOURCE 1



Comment: LANDING GEAR RESOURCE 1

1-Polish entire outside surface of crosstube

Job 7-4-4

7.0

QC5

INSPECT WORK TO CURRENT STEP



Comment: INSPECT WORK TO CURRENT STEP

DP 7-4-4

8.0

HAND FINISHING1

HAND FINISHING RESOURCE #1



Comment: HAND FINISHING RESOURCE #1

Chemical Conversion Coat as per QSI 005 4.1

Job 7-4-4

9.0

QC3/5

INSPECT WORK/WING WALK



Comment: Inspect work & Chemical conversion Coat

DP 7-4-10

10.0

BENDING

BENDING MACHINE



Comment: BENDING MACHINE

Bend tube as per Dwg D412-664-243 using CNC bender program 412-af and Folio FT010

EL 7-4-12

11.0

QC15

DIMENSIONAL CHECK



Comment: DIMENSIONAL CHECK

Job 07-04-12

12.0

D36061

CUFF



Comment: Qty.: 2.0000 Each(s)/Unit Total: 2.0000 Each(s)

CUFF

Batch: 31150

ET 07-04-18

13.0

LANDING GEAR 1

LANDING GEAR RESOURCE 1



Comment: LANDING GEAR RESOURCE 1

1-Drill Rivet holes as per Dwg D412-664-245

2-Drill pilot holes in tube as per Dwg D412-664-245

3-Ream hole to finish size in tube as per Dwg D412-664-245

ET 07-04-18

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Thursday, 3/22/2007 7:47:37 AM
User: Kim Johnston

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: X-TUBE 412

Job Number: 31437

Part Number: D412664245

Job Number:



Seq. #:

Machine Or Operation:

Description :

4-Deburr & Inspect for surface damage. Repair damage within limits as per Dwg D412-664-245

JD 7-4-13

HAND FINISHING1

HAND FINISHING RESOURCE #1



Comment: HAND FINISHING RESOURCE #1

Chemical Conversion Coat Tube & Cuffs as per QSI 005 4.1

JD 7-4-13

QC3

INSPECT POWDER COAT/CHEMICAL CONVERSION



Comment: INSPECT POWDER COAT/CHEMICAL CONVERSION

QC5

INSPECT WORK TO CURRENT STEP



Comment: INSPECT WORK TO CURRENT STEP

OUTSIDE SERVICE

OUTSIDE SERVICES



Comment: Sub-Contracting OUTSIDE SERVICES

Liquid Penetrant Inspection as per QSI 038Or

Issue P/O: 3546 LPI as per ASTM 1417

Level 2 Attach copy of NDT results to work order

C 207104/130

PACKAGING 1

PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1

Inspect for transit damage

Ensure copy of NDT results attached to work order.

207104/170

QC5

INSPECT WORK TO CURRENT STEP



Comment: Inspect for damage & ensure results are as per Dwg D412-664-203

LANDING GEAR 1

LANDING GEAR RESOURCE 1



Comment: LANDING GEAR RESOURCE 1


1-Rivet Cuffs as per Dwg D412-6647-245. with Sika flex in Between tube & Cuff

AVR SIKAFLEX -241/-291

BATCH:

M103561

IT 07-04-18

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
07.04.18	21	USE CR3212-4-07 RIVETS INSTEAD OF CR3212-4-06				 07.04.18 per QS/018	

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Thursday, 3/22/2007 7:47:37 AM

User: Kim Johnston

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: X-TUBE 412

Job Number: 31437

Part Number: D412664245

Job Number:



Seq. #:

Machine Or Operation:

Description:

21.0

CR3212406

-07 07.04.18

CHERRY RIVET



Comment: Qty.: 4.0000 Each(s)/Unit Total: 4.0000 Each(s)

CHERRY RIVET

Batch:

M17569

RT 07-04-18

22.0

SPRAY PAINTING

SPRAY PAINTING



Comment: SPRAY PAINTING

1-Prime inside and outside crosstube as per QSI 005 4.2

2-Paint outside crosstube with White Imron as per QSI 005 4.2

RT 07-04-19

23.0

QC14

Inspect Spray Paint



Comment: Inspect Spray Paint

Wrap in plastic bag to protect from scratches

RT 07-04-19

24.0

D31891

Chafing Shield



Comment: Qty.: 2.0000 Each(s)/Unit Total: 2.0000 Each(s)

Chafing Shield

Batch:

31147

RT 07-04-19

25.0

D3595

Rubber Cushion (per sq ft)



Comment: Qty.: 0.0536 sf(s)/Unit Total: 0.0536 sf(s)

Rubber Cushion

Cut to .630" X 5.8" X 2PCS

Batch:

31948

RT 07-04-19

26.0

D28961

Support



Comment: Qty.: 1.0000 Each(s)/Unit Total: 1.0000 Each(s)

Pick:

Qty Part number Description Batch

1 D2896-1

Support

27266

RT 07-04-19

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Thursday, 3/22/2007 7:47:37 AM
User: Kim Johnston

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: X-TUBE 412

Job Number: 31437

Part Number: D412664245

Job Number:



Seq. #:

Machine Or Operation:

Description :

27.0

D2856600

Abrasion Strip



Comment: Qty.: 0.9450 f(s)/Unit Total : 0.9450 f(s)

Abrasion Strip

2 X D2856-600-1009

Batch:

~~2856~~ 26650

RT 07-04-19

28.0

MS2192028

Clamp(per MIL-DTL-8783C)



Comment: Qty.: 4.0000 Each(s)/Unit Total : 4.0000 Each(s)

Pick:

Qty Part number Description Batch

4 MS21920-28 Clamp

102534

RT 07 04 19

29.0

MS2192032

clamp(per MIL-DTL-8783C)



Comment: Qty.: 2.0000 Each(s)/Unit Total : 2.0000 Each(s)

clamp(per MIL-DTL-8783C)

batch: 102931

RT 07-04-19

30.0

LANDING GEAR 1

LANDING GEAR RESOURCE 1



Comment: LANDING GEAR RESOURCE 1

Assemble as per Dwg D412-664-245

Install Chaffing Sheilds

Instal support with magnobond 6398 per dwg D412-664-245,
cure for 12hrs before packaging.

Time & date of application:

600pm 07-04-19

Batch:

11103628

RT
07-04-19

31.0

QC5

INSPECT WORK TO CURRENT STEP



Comment: INSPECT WORK TO CURRENT STEP

32.0

PACKAGING 1

PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1

Identify and pack for shipping as per PPP D412-664-205

PPP B31917

07/04/20

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes ☒ No ☐ DQA: ☒ Date: 07/04/20
 QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Thursday, 3/22/2007 7:47:37 AM
User: Kim Johnston

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: X-TUBE 412

Job Number: 31437

Part Number: D412664245

Job Number:



Seq. #:

Machine Or Operation:

Description :

*****Ensure tube is not packaged if curing time is less than 12 hrs, see step 27 for application time & date

Time & date of packaging:

07.04.20

POSITIVE RECALL

EFFECTIVE 07.03.22 AUTH JP

RELEASED JP DATE 07.04.20

Location: _____

PPP Rev: _____

33.0

QC21

FINAL INSPECTION/W/O RELEASE



Comment: FINAL INSPECTION/W/O RELEASE

07/04/20

Job Completion



u 07.04.20

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



DESIGN <i>qp</i>	DRAWN BY <i>qp</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>[Signature]</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D412-664-245	REV. B SHEET 1 OF 3
DATE 07.03.01		TITLE CROSSTUBE ASS'Y (412 LOW-N AFT) NTS	
A	06.12.01	NEW ISSUE	
B	07.03.01	CHG CUFF AREA, CHG RUBBER CUSHION	

PRELIMINARY ISSUE

PARTS LIST:

Qty	Part Number	Description
X	D412-664-245	CROSSTUBE ASSEMBLY (412 LOW-NARROW AFT)
1	D6009-129	CROSSTUBE
2	D2856-600-1009	ABRASION STRIP
1	D2896-1	SUPPORT
2	D3189-1	CHAFING SHIELD
2	D3595-063-580	RUBBER CUSHION
2	D3606-1	CUFF
44	CR3212-4-06	RIVET (OR M7885/3-4-06)
4	MS21920-28	CLAMP
2	MS21920-32	CLAMP
A/R	MAGNOBOND 6398	ROCKWELL SPECIFICATION RBO-120-023 ADHESIVE (TEXTRON/BELL SPEC. 299-947-100, TYPE II, CLASS 2 ADHESIVE)
A/R	SIKAFLEX-241/-291	SEALANT (OR PROSEAL 890 OR MIL-S-8802 CLASS B2 SEALANT)

GENERAL NOTES:


- 1) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED.
- 2) MATERIAL: MANUFACTURED FROM D6009-129
FINISHED LENGTH = 123.59±0.020 (BEFORE BENDING/TRIMMING)
- 3) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
PRIME INSIDE AND OUTSIDE PER DART QSI 005 4.2
PAINT OUTSIDE PER DART 005 4.2
- 4) PART IS SYMMETRIC ABOUT CENTERLINE.
- 5) RUN-OFF PART. BLEND OUT EDGE LONGITUDINALLY, TRANSITION SHOULD BE SMOOTH.
- 6) BEND PROGRESSIVELY WITH A MINIMUM OF 8 PASSES. MAXIMUM TUBE FLATTENING DUE TO BENDING IS 6% BASED ON O.D., EXCEPT UP TO 10% IS ALLOWED IN AREA NOTED.
- 7) LIQUID PENETRANT INSPECT OUTSIDE SURFACE OF CROSSTUBE PER QSI 038.
- 8) SCRIBE DART PART NUMBER AND BATCH NUMBER IN THIS AREA WITH VIBRATING STYLUS.
- 9) INSTALL D2856-600-1009 ABRASION STRIP WITH A 0.13 (REF) GAP ON BOTTOM SIDE OF CROSSTUBE PER QSI 035.
- 10) EXTREME CARE MUST BE TAKEN TO PROTECT THE OUTSIDE SURFACE OF THE TUBE. THE OUTSIDE SURFACE MUST BE SMOOTH AND FREE FROM SURFACE DEFECTS SUCH AS SCRATCHES, NICKS, OR DENTS. DEFECTS UP TO 0.005" MAY BE BLENDED OUT LONGITUDINALLY. CIRCUMFERENTIAL GRIND MARKS ARE UNACCEPTABLE.
- 11) APPLY A 0.03" TO 0.06" THICK LAYER OF MAGNOBOND 6398 TO THE SURFACE OF D2896-1 THAT WILL BE IN CONTACT WITH THE CROSSTUBE. LET CURE FOR 12 HOURS AFTER INSTALLATION AND PRIOR TO PACKAGING.
- 12) INSTALL MS21920-32 CLAMPS WITH D3595-063-580 RUBBER CUSHIONS TO SECURE D2896-1 SUPPORT ON TOP SIDE OF THE CROSSTUBE. ENSURE CLAMPS ARE OPPOSITE CROSSTUBE SUPPORT.
- 13) TORQUE CLAMPS 80 TO 100 IN-LB.
- 14) INSTALL D3606-1 CUFF AFTER CHEMICAL CONVERSION COAT BUT BEFORE PAINT, WITH A LAYER OF SIKAFLEX-241/-291 OR PROSEAL 890 OR MIL-S-8802 CLASS B2 SEALANT BETWEEN CUFF AND CROSSTUBE.
- 15) TOUCH-UP HOLES WITH CHEMICAL CONVERSION COAT.

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 31436

Copyright © 2006 by DART AEROSPACE LTD


THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

PRELIMINARY ISSUE




**D412-664-245 BEND/ASSEMBLY
DETAIL**

RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO COMMENT
WITHOUT NOTICE
WORK ORDER
NO. 31436



**VIEW A-A:
CUFF DETAIL
SCALE 1:2**



**SECTION B-B
SCALE 1:2**


APPLY MAGNOBOND
BETWEEN D2896-1 AND
THE CROSSTUBE
(11)

D2896-1
SUPPORT
(REF)

D3595-063-580
RUBBER CUSHION
(UNDER CLAMP, REF)


(12) MS21920-32
CLAMP (REF)

**SECTION C-C
SCALE 1:2**



COPYRIGHT © 2006 BY DART AEROSPACE LTD.			
DESIGN	qj	DRAWN BY	qj
CHECKED	qj	APPROVED	qj
DATE	07.03.01	DRAWING NO.	D412-664-245
		TITLE	CROSSTUBE (412 LOW-NARROW AFT)
		SCALE	1:8
		REV. B	SHEET 2 OF 3

1572



D412-664-245 MACHINING DETAIL

PRELIMINARY ISSUE

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 31430

COPYRIGHT © 2006 BY DART AEROSPACE LTD.		DESIGN 90	DRAWN BY 90	DART DART AEROSPACE LTD. HAWKESBURY, ONTARIO, CANADA	DRAWING NO. D412-664-245	REV. B SHEET 3 OF 3
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.		CHECKED [Signature]	APPROVED [Signature]			
DATE 07.03.01						

DART AEROSPACE LTD	Work Order: 31437
Description: Crosstube Assembly 412 Low-Narrow AFT	Part Number: 412-664-245
Inspection Dwg: 0412-664-245 Rev: B	Page 1 of 1

FIRST ARTICLE INSPECTION CHECKLIST

☒ First Article
 ☐ Prototype


Inspection Sheet Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
SIDE A	2.612	$\pm .005$ $\pm .000$	2.616	✓		
	2.612	"	2.616	✓		
	2.726	"	2.729	✓		
	2.855	"	2.859	✓		
	2.994	"	2.998	✓		
	3.134	"	3.137	✓		
	3.256	"	3.259	✓		
	3.256	"	3.259	✓		
	3.500	"	3.501	✓		
SIDE B	123.59	$\pm .020$	123.61	✓		
	2.612	$\pm .005$ $\pm .000$	2.616	✓		
	2.612	"	2.616	✓		
	2.726	"	2.729	✓		
	2.855	"	2.858	✓		
	2.994	"	2.998	✓		
	3.134	"	3.137	✓		
	3.256	"	3.259	✓		
	3.256	"	3.259	✓		
	3.500	"	3.501	✓		

Measured by: MS/S ✓	Audited by: [Signature]	Prototype Approval:	N/A
Date: 07/03/26	Date: 07/04/24	Date:	N/A

Rev	Date	Change	Revised by	Approved
A		New Issue	KJ/JLM	

DART AEROSPACE LTD		Work Order:	31437
Description: Crosstube Low Narrow Aft (412)		Part Number:	D412-664-245
Inspection Dwg: D412-664-245 Rev: B		Page 1 of 1	


Required Dimension	Min	Max
Height	16.69	16.95
1/2 Span	46.47	46.73
Angle	49°	52°
Total Span	92.94	93.46



Comments

QC15 Inspection	<i>[Signature]</i>
Date	07.04.12

Rev	Date	Change	Revised by	Approved
A	07.03.29	New Issue	KJ/JM	<i>[Signature]</i>



HeathAir

INTERNATIONAL (1991) INC.

681 Ave. Lepine, Dorval, Québec H9P 1G3
Tél.: (514) 636-1000 • Fax: (514) 636-0031

W.O. N° 36169

A.M.O. Number: 46/90

NON-DESTRUCTIVE TESTING REPORT

AIRCRAFT / COMPONENT INFORMATION

REGISTRATION:

MODEL/TYPE:

SERIAL NUMBER:

TOTAL HR/LDG:

OPERATED BY:

BASED AT:

INSPECTION REQUIREMENTS

Carry out FPI of five (5) cross tubes (external surface) as per ASTM E-1417-05 and the Dart QSI 038, Section 4.1.1 (on file at client) - parts delivered to HeathAir.

Qty. (1) P/N D412-664-245 S/N B31437
Qty. (2) P/N D412-664-145 S/N's B31435 & B31139
Qty. (2) P/N D412-664-201 S/N's B29531 & B29506

☐ RADIOGRAPHY

☐ ULTRASONIC

☒ PENETRANT

☐ MAGNETIC PARTICLE

☐ EDDY CURRENT

INSPECTION REPORT

Fluorescent penetrant inspection was performed in accordance with the above requirements on five (5) cross tubes.

Note: A Level 3 penetrant was substituted for the requested Level 2 (3 is more sensitive)
Ardrox 970P25E Batch #04B503.

Fuve (5) cross tubes PASSED inspection.

THE MAINTENANCE DESCRIBED ABOVE HAS BEEN PERFORMED IN ACCORDANCE WITH
THE APPLICABLE STANDARDS OF AIRWORTHINESS

INSPECTED BY: S. FLECHER

DATE April 16, 2007

INSPECTION
STAMP(S) Not Required

CUSTOMER INFORMATION

CUSTOMER: Dart Aerospace

P.O. NUMBER 3546

ADDRESS:

CONTACT NAME:

LABOUR	@	\$
MATERIALS	@	
TRAVEL EXPENSES	@	GST
HOTEL EXPENSES	@	PST

INVOICE NO.

TOTAL \$

WHITE COPY - INSPECTION FILE • YELLOW COPY - CUSTOMER • PINK COPY - ACCOUNTANT

